



SPLAC6023


- 1 Return Air
- 2 Control pad
- 3 Cold Air Supply
- 4 Power Cord
- 5 Condensate Nipple
- 6 Condensate Alarm Jack
- 7 Access Door
- 8 Flexible Cable Connector (3"Ø x 20')



CONDENSER UNIT



CONTROL UNIT



ETL LISTED CONFORMS TO ANSI/UL
1995 CERTIFIED TO CAN/CSAA22.2 NO.235



1-800-KWIKOOL

SPECIFICATIONS

Model SPAC6023 - 5 Ton

| COOLING CAPACITY | | |
|----------------------|---------------------------------|----------------------------|
| | BTU/hr @ 95 F at 60%RH | 60,000 |
| COMPRESSOR DATA | | |
| | Compressor Type | Hermetic Rotary |
| | Operating Temperatures | 60-110F. 50% RH |
| | Refrigerant | R-22 |
| FAN DATA | | |
| EVAPORATOR | | |
| | Fan Type (Centrifigul) | Direct Drive |
| | Air Flow (CFM) | 2000/Single Speed |
| | Supply Air chute Data | 2-10" Dia.x24" Length |
| | Supply Air Chute Max. Length | 50' |
| | Motor HP | 3/4 |
| CONDENSER | | |
| | Fan Type (Centrifigul) | Belt Drive |
| | Air Flow (CFM) | 3500 |
| | Condenser Duct Data (Optional) | 2-20" Dia.x8" Length |
| | Condenser Duct Max. Length | 65' |
| | Motor HP | 3 |
| ELECTRICAL DATA | | |
| | Power Supply (Volts) | 208/230 - 3 Phase |
| | Current Consumption (Amps) | 38.8/35.3 |
| | Power Consumption (KW) | 7.5 |
| | Maximum Circuit Breaker (Amps) | 50 at 208-V/40 at 230-V |
| | Minimum Circuit Ampacity (Amps) | 38.5 |
| | Min/Max Voltage | 195-225/210-250 |
| | Power Cord Gauge/Length | 8 AWG/10' |
| | Plug Configuration | Field Supplied |
| DIMENSIONAL DATA | | |
| SPLAC Model (Master) | Width x Depth x Height (Inches) | 24.25X22.25X57.5 |
| (Slave) | Width x Depth x Height (Inches) | 24.25X30.25X40 |
| | Weight (Lbs.) | 655 |
| | Shipping Weight (Lbs.) | 755 |
| SAFETY DEVICE DATA | | |
| | Compressor Overload | INTERNAL |
| | Fan Motor Overload | AUTOMATIC INTERNAL |
| | Evaporator Freeze-up | HOT GAS BYPASS |
| | High Pressure Switch | MANUAL |
| | Low Pressure Switch | AUTOMATIC |
| | Compressor Short Cycle | YES |
| | Automatic Restart | YES |
| | Thermostat | MICROPROCESSOR/ DIGITAL |
| | Condensate Pump Overflow | YES |



1-800-KWIKOOL